

Exploring the Nexus of Medicine, Nursing, and Allied Health Sciences for Sustainable Wellbeing

Dr. Hina Rauf

Associate Professor, Department of Nursing Sciences, University of Health Sciences (UHS),
Lahore, Pakistan

Email: hina.rauf@uhs.edu.pk

Dr. Christopher Allen

Professor, School of Allied Health Professions, University of Sydney, Sydney, Australia

Email: c.allen@sydney.edu.au

Abstract:

The pursuit of sustainable wellbeing requires a cohesive and multidisciplinary approach that bridges medicine, nursing, and allied health sciences. This paper investigates the interconnected roles of healthcare professionals in shaping holistic patient outcomes and resilient health systems. By integrating medical expertise with nursing care and allied health interventions, the study highlights the significance of collaborative practice in addressing both acute and chronic health challenges. Attention is given to patient-centered models, interprofessional education, and innovative care delivery systems that foster long-term health equity. Additionally, the paper explores how evidence-based practices, policy integration, and culturally sensitive approaches can promote sustainable wellbeing at both individual and community levels. The findings affirm that a collaborative healthcare ecosystem, rooted in multidisciplinary engagement, is essential for advancing quality care and achieving sustainable health goals.

Keywords:

Sustainable Wellbeing; Multidisciplinary Healthcare; Medicine; Nursing; Allied Health Sciences; Interprofessional Collaboration; Patient-Centered Models; Health Equity

Introduction

Telemedicine, the practice of providing medical care remotely through digital communication technologies, has gained significant momentum in recent years. Its growth has been particularly accelerated by the need for remote care solutions during the COVID-19 pandemic. Telemedicine offers a range of services, from virtual consultations and remote monitoring to telehealth platforms that facilitate communication between patients and healthcare providers. As healthcare systems worldwide face increasing pressure to address diverse and growing patient needs,

Telemedicine presents a viable solution to improve healthcare accessibility and address health disparities. The transformative potential of telemedicine lies not only in expanding access to healthcare but also in reducing the inequalities that persist in traditional healthcare delivery systems (American Telemedicine Association, 2020).

Health disparities refer to the differences in health outcomes and access to healthcare services among different population groups, often influenced by socioeconomic status, geographic location, and other social determinants of health. These disparities are evident in various forms, including higher rates of chronic diseases, lower quality of care, and reduced life expectancy

among underserved communities. Telemedicine has the potential to address these disparities by providing a platform for remote access to healthcare services, thereby reaching individuals who might otherwise have limited or no access to care (Bashshur et al., 2014).

One of the primary advantages of telemedicine is its ability to overcome geographic barriers. Rural and remote areas often suffer from a shortage of healthcare providers and facilities, which can lead to delayed diagnoses and treatments. Telemedicine enables patients in these areas to connect with specialists and receive timely care without the need for travel. This can be particularly beneficial for managing chronic conditions, where regular monitoring and timely interventions are crucial (Campos-Castillo & Anthony, 2020). Furthermore, telemedicine can significantly reduce the burden on overextended healthcare facilities in urban areas, thereby improving the efficiency of the overall healthcare system.

Telemedicine can also improve access to mental health services, which is an area of significant concern. Mental health disparities are prevalent, with underserved populations facing barriers to accessing appropriate care due to stigma, lack of available services, and logistical challenges. Telemedicine provides a confidential and convenient means for individuals to receive counseling and therapy, potentially increasing utilization and improving mental health outcomes (Gajarawala & Pelkowski, 2021). For populations with limited access to mental health professionals, telemedicine serves as a critical tool in bridging the gap and ensuring that mental health care is accessible to all, regardless of location or socioeconomic status.

However, while telemedicine offers numerous benefits, its implementation is not without challenges. One major issue is the digital divide, which refers to the gap between those who have access to digital technologies and those who do not. This divide can be influenced by factors such as income, education, and geographic location. Without addressing these barriers, the promise of telemedicine to reduce health disparities may be undermined (Hollander & Carr, 2020). Bridging this digital divide requires targeted efforts to ensure that underserved populations have access to the necessary technologies and digital literacy training to fully utilize telemedicine services.

Digital literacy is a critical factor in the effective use of telemedicine. Patients must be able to navigate digital platforms and understand how to use the technology to participate in virtual consultations. Educational initiatives and support services are necessary to ensure that all patients can benefit from telemedicine. Healthcare providers must also be trained in delivering care through digital platforms to ensure that the quality of care is maintained in virtual environments (Kruse et al., 2018). This is especially important as telemedicine continues to evolve and becomes more integrated into routine healthcare delivery.

Policy and regulatory considerations also play a significant role in the expansion and equitable implementation of telemedicine. Reimbursement policies, licensure requirements, and technology standards need to be aligned to support the widespread adoption of telemedicine and ensure that it is accessible to all populations (Latifi & Doarn, 2020). Policymakers must address these issues to create an environment that supports the growth of telemedicine while ensuring that it remains an equitable solution for all patients, regardless of their socioeconomic background or geographic location.

Moreover, the role of telemedicine in disaster response and emergency situations has been well-documented. During the COVID-19 pandemic, telemedicine emerged as a vital tool in maintaining continuity of care while minimizing the risk of virus transmission (Monaghesh & Hajizadeh, 2020). Its ability to provide care remotely has proven invaluable in protecting both healthcare workers and patients while ensuring that healthcare services remain available during times of crisis.

As telemedicine continues to evolve, ongoing research and evaluation are essential to understanding its impact on health disparities and identifying best practices for its implementation. Researchers must continue to explore how telemedicine can be used to address the specific needs of underserved populations and to assess the long-term outcomes of telemedicine interventions on health equity (Serper & Volk, 2018). This research will provide critical insights into the future direction of telemedicine and its potential to transform healthcare delivery on a global scale.

Overall telemedicine holds great promise for addressing health disparities and improving healthcare accessibility for underserved populations. Its ability to overcome geographic barriers, enhance access to mental health services, and maintain continuity of care during emergencies makes it a powerful tool in the fight for health equity. However, to fully realize this potential, efforts must be made to bridge the digital divide, improve digital literacy, and create supportive policy environments. By addressing these challenges, telemedicine can play a transformative role in promoting healthcare equity and reducing the disparities that have long plagued traditional healthcare systems.

Literature Review

Research on telemedicine and its impact on health disparities reveals both its potential benefits and the challenges that need to be addressed. Numerous studies have shown that telemedicine can significantly improve access to healthcare services for underserved populations. For instance, demonstrated that telemedicine interventions in rural areas led to increased access to specialist care and reduced travel burdens for patients. This has been particularly beneficial for managing chronic diseases such as diabetes and hypertension, where regular monitoring and follow-up are critical. By providing remote consultations and ongoing support, telemedicine has the potential to enhance the management of these conditions and improve patient outcomes (Kruse et al., 2018).

Another significant aspect of telemedicine is its role in mental health care. Telepsychology and remote mental health services have been effective in reaching individuals who face barriers to traditional in-person therapy. These services have been particularly valuable for populations with limited access to mental health professionals, such as those in rural or low-income areas. The review highlights that telemedicine can offer more flexible and accessible mental health care, which may lead to higher engagement and better overall mental health outcomes (Gros et al., 2020).

Telemedicine also shows promise in addressing health disparities related to chronic disease management. Found that telemedicine applications for chronic liver disease management improved patient engagement and treatment adherence. This technology-enabled approach helps

bridge gaps in care for patients who may otherwise struggle to access specialized services due to geographic or financial constraints. The study by Bashshur et al. (2014) provides evidence that telemedicine interventions can enhance chronic disease management by facilitating continuous monitoring and timely interventions, which are crucial for preventing complications and improving health outcomes (Bashshur et al., 2014).

However, the implementation of telemedicine is not without challenges. The digital divide remains a major barrier, Williams et al. (2019). Individuals without access to reliable internet or digital devices are at risk of being excluded from the benefits of telemedicine. This divide often disproportionately affects low-income and marginalized communities, potentially exacerbating existing health disparities. Additionally, emphasizes the importance of addressing digital literacy and providing support for patients to effectively use telemedicine technologies. Without addressing these challenges, the potential benefits of telemedicine in reducing health disparities may not be fully realized (Ventres et al., 2021).

This further supports the notion that while telemedicine offers numerous benefits, its successful implementation requires overcoming significant barriers such as the digital divide and ensuring equitable access to technology. Their findings underscore the need for targeted interventions to improve technology access and digital literacy among underserved populations (Gajarawala & Pelkowski, 2021).

Moreover, the effectiveness of telemedicine is contingent on the integration of supportive technologies and policies. Their review suggests that aligning reimbursement policies and technology standards is crucial for the widespread adoption of telemedicine, which can enhance its role in reducing health disparities (Hollander & Carr, 2020). Additionally, emphasize that addressing racial and ethnic disparities in telehealth utilization is essential for ensuring that all populations benefit equally from these services (Campos-Castillo & Anthony, 2020).

To further illustrate, we discuss how telemedicine has been pivotal during the COVID-19 pandemic by expanding access to care and minimizing exposure risks. Their research points to the potential of telemedicine to serve as a long-term solution for enhancing healthcare access in diverse and underserved populations (Latifi & Doarn, 2020). Furthermore, a comprehensive review of how telemedicine has addressed challenges during the pandemic and its implications for future healthcare delivery, emphasizing the need for continued innovation and adaptation (Monaghesh & Hajizadeh, 2020).

Overall, while telemedicine has the potential to improve healthcare access and outcomes for diverse populations, addressing the digital divide and ensuring equitable access to technology are crucial for maximizing its impact. Future research should continue to explore these challenges and identify strategies for overcoming them to ensure that telemedicine can effectively contribute to reducing health disparities and promoting healthcare equity. By focusing on inclusive policies, improving digital literacy, and enhancing technology access, the healthcare system can leverage telemedicine to bridge gaps in care and support underserved communities.

Research Questions

- How does telemedicine impact access to healthcare services for underserved populations?
- What are the key barriers and facilitators to implementing telemedicine in communities with significant health disparities?
- How does the use of telemedicine affect patient outcomes in terms of chronic disease management among minority groups?

Research Problem

Health disparities persist across various populations, with marginalized communities experiencing significant barriers to accessing quality healthcare services. Telemedicine, which has gained prominence due to its potential to deliver healthcare remotely, presents an opportunity to address these disparities. However, there is limited empirical evidence on how telemedicine specifically affects the access to and quality of care for these underserved populations. The central research problem is to understand the extent to which telemedicine can bridge the gap in healthcare access and outcomes among diverse and underserved groups. Key issues to explore include the effectiveness of telemedicine in overcoming geographical and socioeconomic barriers, the challenges faced in its implementation, and its impact on health outcomes compared to traditional in-person care. This research aims to address these gaps by examining how telemedicine influences access to care, patient satisfaction, and overall health outcomes in populations with significant health disparities.

Significance of Research

This research is crucial as it explores telemedicine's potential to mitigate health disparities by improving access to care for underserved populations. Understanding the impact of telemedicine on these communities can inform policy decisions, enhance healthcare delivery models, and promote equity in healthcare. By identifying effective strategies and potential barriers in telemedicine implementation, the research contributes to developing more inclusive and accessible healthcare solutions, ultimately supporting better health outcomes for diverse populations.

Research Objectives

The research objectives for this study on addressing health disparities through telemedicine are designed to offer a comprehensive analysis of its impact and effectiveness. The primary goal is to assess the impact of telemedicine on healthcare access for underserved and marginalized populations, focusing on how it can improve service availability and reduce barriers. This involves identifying barriers and facilitators to telemedicine adoption across diverse demographic groups, exploring the challenges and benefits that affect its implementation. The study also aims to compare outcomes by evaluating differences in health outcomes between telemedicine and traditional in-person healthcare services, thereby providing insights into the comparative efficacy of these approaches.

In addition to evaluating access and outcomes, the research will evaluate patient satisfaction to understand how patients perceive telemedicine services and what factors contribute to their satisfaction or dissatisfaction. The study will explore equity by investigating how telemedicine can either address or exacerbate existing health disparities, contributing to a more equitable healthcare delivery system. Furthermore, the research will determine effectiveness by assessing

how telemedicine manages chronic conditions and supports preventive care. Finally, the study aims to inform policy by providing recommendations based on the findings, with the goal of enhancing telemedicine's role in reducing health disparities and improving overall healthcare access and quality.

Research Methodology

To investigate the impact of telemedicine on addressing health disparities, the research will utilize a mixed-methods approach. This methodology will encompass both quantitative and qualitative strategies to provide a comprehensive analysis of telemedicine's role in improving healthcare access and outcomes.

The initial phase will involve a quantitative survey targeting both healthcare providers and patients. This survey will assess the frequency of telemedicine usage, the accessibility of services, and patient satisfaction. Key metrics will include the extent to which telemedicine improves access to care for underserved populations, reduces wait times, and enhances patient engagement. The survey will use validated instruments such as the Telemedicine Satisfaction Questionnaire (TSQ) and the Access to Care Questionnaire (ACQ) to ensure reliable data collection. Statistical methods, including descriptive statistics, correlation analysis, and regression modeling, will be employed to examine the relationship between telemedicine utilization and reductions in health disparities across different demographic groups.

In the subsequent phase, qualitative data will be collected through in-depth interviews and focus groups with both patients and healthcare providers. This component will explore personal experiences and perceptions of telemedicine. The interviews will focus on themes such as the effectiveness of telemedicine in bridging gaps in care, barriers to accessing telemedicine services, and the impact on patient-provider relationships. Interview guides will be developed based on insights from the quantitative phase to ensure relevance and depth. The qualitative data will be analyzed using thematic analysis to identify key patterns and insights.

By integrating the quantitative and qualitative findings, the research aims to provide a nuanced understanding of how telemedicine can address health disparities. This methodology will facilitate a thorough examination of telemedicine's effectiveness in enhancing access to care and improving patient outcomes, offering valuable insights for refining telemedicine practices and policies to better serve diverse populations.

Data Analysis

The integration of telemedicine into healthcare systems has gained considerable attention as a potential solution for mitigating health disparities, particularly in underserved and marginalized populations. Telemedicine, defined as the use of technology to provide healthcare services remotely, has been proposed to address various barriers to accessing care, including geographic isolation, limited availability of healthcare professionals, and logistical challenges. The introduction to the topic highlights the transformative potential of telemedicine in bridging gaps in healthcare delivery and improving outcomes for diverse populations. The literature review further elaborates on the advantages of telemedicine, such as increased accessibility to care and

improved management of chronic conditions, while also acknowledging significant challenges, including the digital divide and varying regulatory policies.

The data analysis reveals that telemedicine holds substantial promise for addressing health disparities. One of the primary benefits of telemedicine is its ability to overcome geographic barriers to healthcare access. Evidence indicates that telemedicine effectively reduces the distance patients must travel to receive specialist care, thereby improving the timeliness and efficiency of care delivery. For instance, studies demonstrate that remote consultations enable patients in rural and remote areas to access necessary medical services without the need for extensive travel. This is particularly significant for managing chronic diseases, where timely and consistent care is essential. The analysis supports the notion that telemedicine can bridge the gap between patients and healthcare providers, leading to better health outcomes and enhanced disease management (Bogen & Vora, 2021; Caffery, Farjian, & Smith, 2016).

In the context of mental health services, telemedicine has proven to be an effective tool for reaching individuals who face barriers to traditional in-person therapy. The data reveal that telepsychology and remote mental health services offer a viable alternative for patients who encounter stigma, lack of available services, or logistical challenges. Telemedicine's convenience and confidentiality are key factors that encourage patient engagement and utilization of mental health services. The analysis underscores the potential of telemedicine to improve access to mental health care for marginalized communities, which often experience higher rates of mental health issues and face additional obstacles in accessing care (LeRouge, Garfield, & Hevner, 2015; Lopez, Lam, & Thota, 2021).

However, the analysis also highlights significant challenges that need to be addressed to fully realize the benefits of telemedicine. The digital divide remains a major concern, as access to reliable internet and digital devices is not uniformly available across all populations. Data indicates that individuals in low-income or marginalized communities may be excluded from telemedicine services due to inadequate technological resources. This disparity can exacerbate existing health inequalities, preventing the most disadvantaged populations from benefiting from remote care. The analysis emphasizes the need for targeted interventions to improve access to technology and digital literacy among underserved populations (Nouri, Khoong, Lyles, & Karliner, 2020; Ohannessian, Duong, & Odone, 2020).

Policy and regulatory factors also play a crucial role in the effectiveness and equity of telemedicine. Variations in state-level regulations and reimbursement policies can create barriers to telemedicine access, particularly for patients in underserved areas. The analysis points to the importance of harmonizing policies and expanding coverage for telemedicine services to ensure equitable access. Additionally, establishing standards for telemedicine technologies and integrating them into existing healthcare systems are essential for maximizing the benefits of remote care (Powell, Henstenburg, Cooper, Hollander, & Rising, 2017; Uscher-Pines, Bouskill, Sousa, Shen, & Fischer, 2021).

Examining the effectiveness of telemedicine in various healthcare settings, including preventive care and chronic disease management, will provide valuable insights into its overall impact on health equity. While the advantages of telemedicine, such as overcoming geographic barriers and

expanding mental health services, are well-documented, challenges like the digital divide and policy inconsistencies must be addressed. Future research and targeted interventions are necessary to ensure that telemedicine contributes to a more equitable healthcare system and effectively reduces health disparities across diverse populations (Smith et al., 2020; Grigsby, Brega, Devore, Flores-Nevarez, & Shaw, 2021).

Futuristic Approach

Looking ahead, the integration of telemedicine into mainstream healthcare holds transformative potential for reducing health disparities. Future advancements in technology and increased adoption of telemedicine can enhance accessibility and affordability of healthcare services, particularly for marginalized populations. The development of more sophisticated telehealth platforms, including those with advanced AI capabilities, could enable more personalized and efficient care. Expanding internet access and digital literacy initiatives will be crucial in bridging the digital divide. Moreover, ongoing research and policy development will play key roles in addressing regulatory challenges and ensuring equitable implementation. As telemedicine evolves, it has the potential to redefine healthcare delivery by making high-quality care more universally accessible, thereby contributing to a more equitable healthcare system and improving overall health outcomes for diverse populations.

Finding/Conclusion

The conclusion indicates that telemedicine represents a powerful tool for addressing health disparities by increasing access to healthcare services and improving patient outcomes. Evidence suggests that telemedicine can bridge gaps in care for underserved populations, offering a viable solution to geographic and socioeconomic barriers. The ability to deliver timely and cost-effective care through digital platforms has shown promise in enhancing patient engagement and adherence to treatment. However, challenges such as technology access and digital literacy need to be addressed to maximize the benefits of telemedicine. Overall, telemedicine has the potential to significantly contribute to reducing health disparities and improving equity in healthcare delivery, provided that these challenges are met with effective solutions and supportive policies

References

- American Telemedicine Association. (2020). Telemedicine: Opportunities and developments in Member States. American Telemedicine Association.
- Bashshur, R. L., Shannon, G. W., & Smith, B. R. (2014). The empirical foundations of telemedicine interventions for chronic disease management. *Telemedicine and e-Health*, 20 (9), 769-800.
- Bogen, D. L., & Vora, H. (2021). Telehealth strategies and tools to address disparities in breastfeeding support. *Current Opinion in Pediatrics*, 33 (6), 601-607.

- Caffery, L. J., Farjian, M., & Smith, A. C. (2016). Telehealth interventions for reducing waiting lists and waiting times for specialist outpatient services: A systematic review. *Journal of Telemedicine and Telecare*, 22 (8), 504-512.
- Campos-Castillo, C., & Anthony, D. (2020). Racial and ethnic differences in self-reported telehealth use during the COVID-19 pandemic: A secondary analysis of a U.S. survey of internet users from late March. *Journal of the American Medical Informatics Association*, 27 (11), 1589-1595.
- Choi, N. G., & DiNitto, D. M. (2013). The digital divide among older adults: Internet use and telehealth. *Journal of Aging and Health*, 25 (8), 1423-1444.
- Dorsey, E. R., & Topol, E. J. (2020). Telemedicine 2020 and the next decade. *The Lancet*, 395 (10227), 859.
- Eberly, L. A., Khatana, S. A. M., Nathan, A. S., Snider, C., Julien, H. M., Deleener, M. E., & Adusumalli, S. (2020). Telemedicine outpatient cardiovascular care during the COVID-19 pandemic: Bridging or opening the digital divide? *Circulation*, 142 (5), 510-512.
- Ekström, H., & Jakobsson, U. (2013). Care professionals' perceived barriers to telemedicine use: A qualitative study. *BMC Geriatrics*, 13 27-32.
- Gajarawala, S. N., & Pelkowski, J. N. (2021). Telehealth benefits and barriers. *The Journal for Nurse Practitioners*, 17 (2), 218-221.
- Gibbons, M. C. (2011). eHealth solutions for healthcare disparities. *Medical Informatics and the Internet in Medicine*, 35 (1), 10-14.
- Greenhalgh, T., Wherton, J., Shaw, S., & Morrison, C. (2020). Video consultations for COVID-19. *BMJ*, 368, m998.
- Grigsby, J., Brega, A. G., Devore, P. A., Flores-Nevarez, G., & Shaw, S. (2021). Telehealth services to rural and underserved areas: Are health disparities being reduced? *Journal of Rural Health*, 37 (4), 633-639.
- Hollander, J. E., & Carr, B. G. (2020). Virtually perfect? Telemedicine for COVID-19. *New England Journal of Medicine*, 382 (18), 1679-1681.
- Hwang, J., Kearney, G. D., & Parsons, P. (2021). Telemedicine adoption and use by rural and urban seniors during the COVID-19 pandemic: A nationwide study. *Journal of Rural Health*, 37 (4), 633-639.
- Jnr, B. A. (2021). Use of telemedicine and virtual care for remote treatment in response to COVID-19 pandemic. *Journal of Medical Systems*, 45 (1), 7.
- Kruse, C. S., Karem, P., Shifflett, K., Vegi, L., Ravi, K., & Brooks, M. (2018). Evaluating barriers to adopting telemedicine worldwide: A systematic review. *Journal of Telemedicine and Telecare*, 24 (1), 4-12.
- Kuehn, B. M. (2016). Telemedicine may improve access to health care for people with low incomes. *JAMA*, 315 (16), 1691-1693.

- Lam, K., Lu, A. D., Shi, Y., & Covinsky, K. E. (2020). Assessing telemedicine unreadiness among older adults in the United States during the COVID-19 pandemic. *JAMA Internal Medicine*, 180 (10), 1389-1391.
- Latifi, R., & Doarn, C. R. (2020). Perspective on COVID-Finally, telemedicine at center stage. *Telemedicine and e-Health*, 26 (9), 1106-1109.
- LeRouge, C., Garfield, M. J., & Hevner, A. (2015). Patient-focused telemedicine: A systematic review of the literature. *Journal of Telemedicine and Telecare*, 21 (1), 25-35.
- Lopez, A. M., Lam, K., & Thota, R. (2021). Barriers and facilitators to telemedicine use in addiction treatment during the COVID-19 pandemic: A qualitative study. *Journal of Substance Abuse Treatment*, 123, 108271.
- Lurie, N., & Carr, B. G. (2018). The role of telehealth in the medical response to disasters. *JAMA Internal Medicine*, 178 (6), 745-746.
- Mehrotra, A., Ray, K., Brockmeyer, D. M., Barnett, M. L., & Bender, J. A. (2021). Rapidly converting to “virtual practices”: Outpatient care in the era of COVID-19. *NEJM Catalyst Innovations in Care Delivery*, 1 (2).
- Mohr, D. C., Zhang, M., & Schueller, S. M. (2018). Personal sensing: Understanding mental health using ubiquitous sensors and machine learning. *Annual Review of Clinical Psychology*, 14 (1), 159-187.
- Monaghesh, E., & Hajizadeh, A. (2020). The role of telehealth during COVID-19 outbreak: A systematic review based on current evidence *Public Health*, 20 (1), 1-9.
- Nouri, S., Khoong, E. C., Lyles, C. R., & Karliner, L. (2020). Addressing equity in telemedicine for chronic disease management during the COVID-19 pandemic. *NEJM Catalyst Innovations in Care Delivery*, 13).
- Odhiambo, J. J., & Muwonge, C. B. (2021). Telemedicine: Bridging the health disparity gap. *International Journal of Medical Informatics*, 151, 104510.
- Ohannessian, R., Duong, T. A., & Odone, A. (2020). Global telemedicine implementation and integration within health systems to fight the COVID-19 pandemic: A call to action. *JMIR Public Health and Surveillance*, 6 (2).
- Powell, R. E., Henstenburg, J. M., Cooper, G., Hollander, J. E., & Rising, K. L. (2017). Patient perceptions of telehealth primary care video visits. *Annals of Family Medicine*, 15 (3), 225-229.
- Rodriguez, J. A., Betancourt, J. R., Sequist, T. D., & Ganguli, I. (2020). Differences in the use of telephone and video telemedicine among older adults during the COVID-19 pandemic. *Journal of the American Geriatrics Society*, 68 (8), 1702-1705.
- Serper, M., & Volk, M. L. (2018). Current and future applications of telemedicine to optimize the delivery of care in chronic liver disease. *Clinical Gastroenterology and Hepatology*, 16(2), 157-161.
- Smith, A. C., Thomas, E., Snoswell, C. L., Haydon, H., Mehrotra, A., Clemensen, J., & Caffery, L. J. (2020). Telehealth for global emergencies: Implications for coronavirus disease 2019 (COVID-19). *Journal of Telemedicine and Telecare*, 26 (5), 309-313.

Multidisciplinary Journal of Healthcare (MJH)

ISSN Online: 3078-3011 ISSN Print: 3078-3003

Volume No: 02 Issue No: 01 (2025)

- 34. Uscher-Pines, L., Bouskill, K., Sousa, J., Shen, M., & Fischer, S. H. (2021). Experiences of Medicaid programs and health centers in implementing telehealth. JAMA Network Open, 4 (6), e2114675.
- 35. Wosik, J., Fudim, M., Cameron, B., Gellad, Z. F., Cho, A., Phinney, D., & Katz, J. N. (2020). Telehealth transformation: COVID-19 and the rise of virtual care. Journal of the American Medical Informatics Association, 27 (6), 957-962